

**StaLok<sup>®</sup>**  
CONCENTRATE

# StaLok path covers

Partial pavement as an alternative  
to asphalt and concrete.





# StaLok path covers

Partial pavement as an alternative  
to asphalt and concrete.



With StaLok you get a hard top layer, which is still permeable to water and air. The mineral mixtures are solidified by a co-polymer. Usage of the the cover layer increases the shear strength and load capacity in wet and dry conditions. Especially during frost and de-icing salt periods this binder gives you better surface hardness, allowing a more versatile use of road surfaces.

The application of StaLok is possible both as a ready to use mix with natural crushed sands and as a subsequent application on existing surfaces. For both applications, the Stabilizer grading curve must be guaranteed for the natural stone crushed sands as well as construction according to standards.

## Typical applications are

- footpaths and cycle paths including wheelchair areas
- town or village squares
- parks, historical sites
- superstructures
- playgrounds
- tree slices
- extensive car parking areas / access roads





## Advantages of StaLok road covers

- + high shear strength (also crucial for gradient situations)
- + breathable/permeable to water (tree disks)
- + low dust
- + high color and material variety
- + combinable with Stabilizer path covers
- + appearance like a water-bound pathway



[www.stabilizer2000.com](http://www.stabilizer2000.com/en/stalok-way-covers)  
[/en/stalok-way-covers](http://www.stabilizer2000.com/en/stalok-way-covers)

STABILIZER 2000 GMBH

Steinerstrasse 11

CH- 4333 Münchwilen

Tel. +41 (041) 322 11 29

Fax +41 (041) 322 11 28

[info@stabilizer2000.com](mailto:info@stabilizer2000.com)